



technology by

ASTROJET[™] 300P/500P Desktop Address Printers ASTROJET[™] 1000P High Speed Desktop Address Printer ASTROJET[™] 2650P/2800P High Speed Desktop Address Printers ASTROJET[™] 3600P/3800P High Speed In-line Address Printers ASTROJET[™] 5000 Full Color Desktop Printer



___ASTROJETTM 300P/500P

Desktop Address Printers

AstroJet[™] 300/500 Printers use reliable HP-45 technology to print sharp addresses, graphics, logos and barcodes on envelopes, postcards and more. Designed for standalone desktop operation or inline integration with a conveyor system. Built to last with solid steel construction. Feeder, Drop Tray, and Conveyor are also available.

- Professional Desktop Printer
- Print Quality up to 600 DPI
- 1-1/2" of Print in one pass
- HP-45 Cartridge Technology
- Windows[™] Compatible through Parallel and USB ports
- Unique top-load feed mechanism
- Solid Steel Construction

PRINT TECHNOLOGY	Inkjet, 3 HP 51645A Cartridges		
ADDRESS SPEED	AstroJet [™] 300P: AstroJet [™] 500P:	Up to 7,200 #10 Envelopes/hr Up to 22,000 #10 Envelopes/hr	
PRINT QUALITY	High Quality:	600 x 600 dpi	
(Dots Per Inch)	Standard Quality:		
	Letter Quality:	600 x 200 dpi	
	Draft Quality:	600 x 150 dpi	
IMAGE AREA	1-1/2" x 14" (38.1 mm x 355.6 mm)		
PRINT ORIENTATION	Normal and Reverse		
INK MONITOR	Visible on Display		
FONTS	All TrueType fonts available on PC		
PRINTS	Prints graphics, logos, and barcodes		
MATERIAL SIZE	Length: 5" to 14" (127 mm x 355.6 mm) Width: 3" to 14" (76.2 mm x 355.6 mm)		
MATERIAL		Up to 1/8" (3.175 mm)	
THICKNESS	AstroJet [™] 500P:	Up to 3/16" (4.762 mm)	
FEEDER CAPACITY	Up to 300 No. 10 envelopes		
MEMORY	12 MB		
PRINT COLORS	Standard and Versatile Black, Red, Blue, Green, and Yellow		
INK	Water-based. May i stock	require drying assistance for coated	
SOFTWARE	Windows [™] Compatible Printer Drivers		
DIAGNOSTICS	Resident in firmware		
FIRMWARE UPDATE	Flash PROM update		
PC INTERFACE	Parallel and USB		
COUNTERS	One operator resettable job counter, one permanent lifetime counter		
DUTY CYCLE	AstroJet [™] 300P: 300,000 addresses per month over a 5-year life cycle (18 million total) AstroJet [™] 500P: 750,000 addresses per month over a 5-year life cycle (45 million total)		
DIMENSIONS	19" H x 21" L x 20.5" W (482.6 mm x 533.4 mm x 520.7 mm)		
WEIGHT	53 lbs. (24.1 kg)		
ELECTRICAL	AstroJet [™] 300P/500P: 115VAC 50/60 Hz		
	AstroJet [™] 300PE/	500PE: 240VAC 50/60 Hz	
OPTIONS	Conveyor/Stacker a	and Drop Tray	
0			

Three HP 45 Ink cartridges deliver 1.5" of printing area for quality addressing.



AJ 300P - Single speed printer AJ 500P - Multiple speed printer Small, economical and efficient.

= ASTROJET[™] 300P/500P

Distributed by:

Desktop Address Printers

Designed and manufactured in U.S.A by:


Specifications are subject to change without notice.

Astro Machine Corp., 630 Lively Blvd. Elk Grove Village 60007, Illinois U.S.A, Phone (847) 364-6363 Fax (847) 364-9898 www.astromachine.com



Back to Top





= ASTROJETTM 1000P

High Speed Desktop Address Printer

AstroJet[™] 1000 Printer uses reliable HP-45 technology to print sharp addresses, graphics, logos and barcodes on envelopes, postcards and more. Designed for standalone desktop operation or inline integration with a conveyor system. Built to last with solid steel construction. Feeder, Drop Tray, and Conveyor are also available.

- High-Speed Professional Desktop Printer
- Print Quality up to 600 DPI
- 2-1/2" of Print in one pass
- HP-45 Cartridge Technology
- Windows[™] Compatible through Parallel or USB port
- Unique top-load feed mechanism
- Solid Steel Construction

PRINT TECHNOLOGY	Inkjet, 5 HP 51645A Cartridges		
ADDRESS SPEED	Up to 22,000 #10 Envelopes/hour		
PRINT QUALITY	High Quality: 600 x 600 dpi		
(Dots Per Inch)	Standard Quality: 600 x 300 dpi		
	Letter Quality: 600 x 200 dpi		
	Draft Quality: 600 x 150 dpi		
IMAGE AREA	2-1/2" x 14" (63.5 mm x 355.6 mm)		
PRINT	Normal and Reverse		
FONTS	All TrueType fonts available on PC		
PRINTS	Prints graphics, logos, and barcodes		
MATERIAL SIZE	Length: 5" to 15" (127 mm x 381 mm)		
	Width: 3" to 13.5" (76.2 mm x 342.9 mm)		
MATERIAL			
THICKNESS	Up to 1/4" (6.35 mm)		
FEEDER CAPACITY	Up to 500 No. 10 envelopes		
MEMORY	12 MB		
PRINT COLORS	Standard and Versatile Black, Red, Blue, Green, and Yellow		
INK	Water-based. May require drying assistance for coated stock		
SOFTWARE	Windows [™] Compatible Printer Drivers		
FIRMWARE UPDATE	Flash PROM update		
PC INTERFACE	Parallel and USB		
COUNTERS	One operator resettable job counter, one permanent lifetime counter		
DUTY CYCLE	850,000 addresses per month over a 5-year life cycle (51 million total)		
DIMENSIONS	11.5" H x 19.56" L x 20" W (292.1 mm x 496.8 mm x 508 mm)		
WEIGHT	69 lbs. (31.4 kg)		
ELECTRICAL	AstroJet™ 1000P: (115VAC)		
	AstroJet™ 1000PE: (220VAC)		
OPTIONS	Conveyor/Stacker and Drop Tray		
Specifications are subject to change without notice.			



Five HP 45 cartridges provide 2.5" of printing area



Built-in friction feeder for continuous runs.



Stainless steel construction

ASTROJET[™] 1000P


High Speed Desktop Address Printer

Distributed by:

Designed and manufactured in U.S.A by: Astro Machine Corp., 630 Lively Blvd. Elk Grove Village 60007, Illinois U.S.A, Phone (847) 364-6363 Fax (847) 364-9898 www.astromachine.com

Back to Top






■ASTROJET[™] 2650P/2800P

High Speed Desktop Address Printer

AstroJet[™] 2650P/2800P Printers use reliable HP-45 technology to print sharp addresses, graphics, logos and barcodes on envelopes, postcards and more. Designed for standalone desktop operation or inline integration with a conveyor system. Built to last with solid steel construction. Feeder, Drop Tray, and Conveyor are also available.

- High-Speed Professional Desktop Printer
- Print Quality up to 600 DPI
- 3" (2650P) or 4" (2800P) of stitched printing in one pass
- HP-45 Cartridge Technology
- Windows[™] Compatible through Parallel port
- Unique top-load feed mechanism
- Solid Steel Construction

PRINT	2650P: Inkjet, 6 HP 51645A Cartridges	
TECHNOLOGY	2800P: Inkjet, 8HP 51645A Cartridges	
ADDRESS SPEED	Up to 22,000/hr – No. 10 Envelopes	- ARTICLES
PRINT QUALITY	High Quality: 600 x 600 dpi	- Law
(Dots Per Inch)	Standard Quality:600 x 300 dpiLetter Quality:600 x 200 dpi	
	Draft Quality: 600 x 150 dpi	
IMAGE AREA	3" x 17" (76.2 mm x 431.8 mm)	Convenient Ink cartridge
PRINT	Normal and Reverse	storage compartment
ORIENTATION		
FONTS	All TrueType fonts available on PC	
INK MONITOR	Visible on display	
PRINTS	Prints graphics, logos, and barcodes	
MATERIAL SIZE	Length: 5" to 17" (127 mm x 431.8 mm)	
	Width: 3" to 13.5" (76.2 mm x 342.9 mm)	
MATERIAL	Up to 3/8" (9.525 mm)	
FEEDER CAPACITY	Up to 750 No. 10 envelopes	
PRINT COLORS	Standard and Versatile Black, Red, Blue, Green, and Yellow	
INK	Water-based. May require drying assistance for coated stock	Manager and Statement of Statement
SOFTWARE	WIndows [™] Compatible Printer Drivers	
PC INTERFACE	2650P: Centronics Parallel	
	2800/2800P: Centronics Parallel or USB	
COUNTERS	One operator resettable job counter, one permanent lifetime counter	Eight HP 45 cartridges
DUTY CYCLE	1 million addresses per month over a 5-year life cycle (60 million total)	deliver high quality printing at blazing sper
DIMENSIONS	23" H x 28" L x 22" W	
	(584 mm x 711 mm x 559 mm)	
WEIGHT	80 lbs. (36.4 kg)	
ELECTRICAL	AstroJet [™] 2650P: (115VAC)	
	AstroJet [™] 2650PE: (220VAC)	Long Long
	AstroJet [™] 2800P: (115VAC) AstroJet [™] 2800PE: (220VAC)	
OPTIONS	Conveyor/Stacker and Drop Tray	
OFTIONS	Someyor/Stacker and Drop Hay	
Specificat	tions are subject to change without notice.	



= ASTROJET[™] 2650P/2800P

Distributed by:

High Speed Desktop Address Printer

Designed and manufactured in U.S.A by:

Astro Machine Corp., 630 Lively Blvd. Elk Grove Village 60007, Illinois U.S.A, Phone (847) 364-6363 Fax (847) 364-9898 www.astromachine.com



Back to Top



= ASTROJET[™] 3600P/3800P


High Speed In-line Address Printer

AstroJet[™] 3600P/3800P Printers use reliable HP-45 technology to print sharp addresses, graphics, logos and barcodes on envelopes, postcards and more. Designed for use with other mailing equipment or with Astro's optional Friction or Vacuum Shuttle Feeders. Built to last with solid steel construction. Right-to-Left, or Left-to-Right Operation, Feeders, and Conveyor are also available.

- High-Speed Professional Desktop Printers
- Fast Up to 30,000 pieces per hour
- 3" (3600P) or 4" (3800P) of Print in one pass
- HP-45 Cartridge Technology
- Windows[™] Compatible through Parallel or USB port
- Solid Steel Construction
- Use offline with folder, inserters and other mailing equipment or with Astro's Friction or Vacuum Shuttle Feeders
- Available in right-to-left or left-to-right operation**
- **Must be specified at time of order.

PRINT TECHNOLOGY	3600P: 6 HP 51645A Inkjet Cartridges	
ADDRESS SPEED	3800P: 8 HP 51645A Inkjet Cartridges	
PRINT QUALITY	Up to 26,000 #10 Envelopes/hour High Quality: 600 x 600 dpi	
(Dots Per Inch)	Standard Quality: 600 x 300 dpi	
	Letter Quality: 600 x 200 dpi	Uses reliable HP45 Cartrid
	Draft Quality: 600 x 150 dpi	Usea feituble fri Ho Gartrid
IMAGE AREA	3600P: 3" x 17" (76.2 mm x 431.8 mm) 3800P: 4" x 17" (101.6 mm x 431.8 mm)	
PRINT	Normal and Reverse	
ORIENTATION		
FONTS	All TrueType fonts available on PC	100 100 100 mg
PRINTS	Prints graphics, logos, and barcodes	
MATERIAL SIZE	Minimum: 3" x 5" (76.2 mm x 127 mm) Maximum: 13.5" to 17" (342.9 mm x 431.8 mm)	
MATERIAL THICKNESS	Up to 3/8" (9.525 mm)	
FEEDER	Optional	
PRINT COLORS	Standard and Versatile Black, Red, Blue, Green, and Yellow	
INK	Water-based. May require drying assistance for coated stock	
SOFTWARE	Windows [™] Compatible Printer Drivers	
PC INTERFACE	Centronics Parallel or USB*	It comes with 6 (AJ 3600P)
COUNTERS	One operator resettable job counter, one permanent lifetime counter	8 (AJ 3800P) printheads inst
DUTY CYCLE	1.25 million addresses per month over a 5-year life cycle (75 million total)	
DIMENSIONS	11.5" H x 30" L x 23" W (292.1 mm H x 762 mm L x 584.2 mm W)	
WEIGHT	90 lbs. (40.9 kg.)	
ELECTRICAL	AstroJet [™] 3600P or 3800P: (115VAC, 50/60 Hz)	THE R. LOW CO., LANSING MICH.
	AstroJet [™] 3600PE or 3800PE: (240VAC, 50/60 Hz)	
OPTIONS	Left-to-Right or Right-to-Left Operation (specify when	
	ordering), Stand, Conveyor/Stacker and Feeders	
	An an an an an Arthress and an an an Arthress and an an Arthress	

Specifications are subject to change without notice.



■ ASTROJET[™] 3600P / 3800P

High Speed In-line Address Printer

Distributed by:

Astro Machine Corp., 630 Lively Blvd. Elk Grove Village 60007, Illinois U.S.A. Phone (847) 364-6363 Fax (847) 364-9898 www.astromachine.com

Designed and manufactured in U.S.A by:





lge



) or talled







ASTROJET[™] 5000 Full Color Desktop Printer

AstroJet[™] 5000 Printer uses reliable HP-Color technology to print sharp graphic images in color and monochrome. Up to 1200 dpi print resolution. Built to last with solid steel construction. Conveyor and Drop Tray are also available.

- Professional Desktop Shuttlehead Printer
- Print Quality up to 1200 DPI
- Sharp Graphic Images in Full Color and Monochrome
- Integrated Printhead Capping Station
- HP Cartridge Technology
- Windows[™] Compatible through Parallel or USB port
- Unique Top-load Feed Mechanism
- Solid Steel Construction

PRINT QUALITY	High Quality:1200 DPIStandard Quality:600 DPIDraft Quality:300 DPI		
PRINT MODE	Fast Draft, Fast Normal, Normal, Best and Maximum DPI		
PRINT SPEED	Up to 4,000 #10 Envelopes/hour		
MEDIA SIZE	Minimum: 3.5" x 4.2" (88.9 mm x 106.6 mm) Maximum: 11" x 17" (279.4 mm x 431.8 mm)		
IMAGE AREA	8.5" x 16" (215.9 mm x 406.4 mm)		
MEDIA THICKNESS	Minimum: 0.0006" (0.152 mm) Maximum: 0.0625" (1.5875 mm)		
PRINT ORIENTATION	Portrait and Landscape		
FONTS	All TrueType fonts available on PC		
GRAPHICS, LOGOS AND BARCODES	Prints graphics, logos, and barcodes		
FEEDER CAPACITY	Up to 300 #10 Envelopes		
PRINT CARTRIDGES	Black HP56 / HP58		
	Color HP57		
INK	Water-based. May require drying assistance for coated stock		
SOFTWARE	Windows [™] Compatible Printer Drivers		
FIRMWARE UPDATE	Via PC interface in flash proms		
PC INTERFACE	Parallel or USB		
DUTY CYCLE	60,000 #10 Envelopes per month over a 5-year life cycle (3.6 million total)		
DIMENSIONS	19.5" W x 22" L x 17-1/4" H (49.5 cm x 55.9 cm x 44.0 cm)		
WEIGHT	40 lbs. (18.2 kg)		
ELECTRICAL	115VAC, 50/60 Hz 240VAC, 50/60 Hz		
OPTIONS	HP Versatile fast dry Black and Red, Blue, Green or Yellow ink. Conveyor/Stacker and Drop Tray		

Specifications are subject to change without notice.



Stainless Steel construction



Hewlett-Packard® ink cartridges for high quality, economical printing



Full Color Desktop Printer

Designed and manufactured in U.S.A by: Astro Machine Corp., 630 Lively Blvd. Elk Grove Village 60007, Illinois U.S.A, Phone (847) 364-6363 Fax (847) 364-9898 www.astromachine.com



Distributed by:

Back to Top

. . .